

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	(compar\$3) with ((binary bite) with (size length)) and (deploy\$3 with module \$1)and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 17:29
L4	6	(compar\$3) with ((binary bite) with (size length)) and (deploy\$3 with module \$1)and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 17:29
L5	2	(compar\$3) with ((binary bite) with (size length)) and @ad< "20040311" and 717/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 17:30
L33	1005	717/174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 19:27
L35	594	717/174.ccls. and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 19:27
S52	1	(deploy\$5) with (bean\$1 component\$1 module\$1 EJB) same (interface) same (binary with class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 15:45
S53	3	(deploy\$5) with (bean\$1 component\$1 module\$1 EJB) same (binary with class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 15:45
S54	1	(deploy\$5) with (bean\$1 EJB enterprise\$1 J2EE) with (module\$1 component \$1) and (introspect\$3) with (binary with class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 15:50
S55	0	(introspect\$3) with (binary with class) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 15:51

S56	8	(compar\$3 with size) with (binary with class) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 15:52
S57	20	(compar\$3 with size) with (binary with (class component\$1)) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 15:53
S58	249	compar\$3 same (interface \$1 function\$1) with (component\$1 module\$1) same (package\$1) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 18:56
S59	7	compar\$3 same (interface \$1 function\$1) with (component\$1 module\$1) same (package\$1) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 18:56
S60	3	compar\$3 same (interface \$1 function\$1) with (component\$1 module\$1) same (package\$1) and @ad< "20040311" and "711"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 18:58
S61	1	compar\$3 with (interface \$1 function\$1) with (component\$1 module\$1) same (package\$1) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 18:59
S62	2	compar\$3 with (interface \$1 function\$1) with (component\$1 module\$1) same (package\$1 EJB bean enterprise\$1) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:00
S63	7	compar\$3 with (interface \$1 function\$1) with (component\$1 module\$1 object\$1 class\$2) same (package\$1 EJB bean enterprise\$1) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:02

S64	40	compar\$3 with (interface \$1 function\$1) with (component\$1 module\$1) with(package\$1 EJB bean enterprise\$1) and @ad<"20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:08
S65	339	(deploy\$3 distribut\$3 updat \$3) with (package\$1)same (interface\$1 function\$1) with (component\$1 module \$1) and @ad<"20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:16
S66	59	(deploy\$3 distribut\$3 updat \$3) with (package\$1)same (interface\$1 function\$1) with (component\$1 module \$1) and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:16
S67	139	(deploy\$3 distribut\$3 updat \$3) with (component\$1 module\$1)and (compar\$3 with (interface\$1 function \$1))and (package\$1 bean enterprise ejb) and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:36
S68	4	(deploy\$3 distribut\$3 updat \$3) with (component\$1 module\$1) same (compar \$3 with (interface\$1 function\$1))and (package \$1 bean enterprise ejb) and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:38
S69	45	(compar\$3 with (interface \$1 function\$1) with (component\$1 module\$1)) and (package\$1 bean enterprise ejb) and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:40
S70	2	(compar\$3 with (interface \$1 function\$1) with (component\$1 module \$1)) same (package\$1 bean enterprise ejb) and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:40
S71	58	(compar\$3 with (interface \$1 function\$1)) same (component\$1 module\$1) and (package\$1 bean enterprise ejb) and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:52

S72	23	(compar\$3 with (interface \$1 function\$1)) same (component\$1 module\$1) and (package\$1 bean enterprise ejb) and @ad< "20040311" and "717"/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:53
S73	0	(compar\$3 with (interface \$1 function\$1)) same (component\$1 module\$1) with (package\$1 bean ejb) and @ad< "20040311" and "717"/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:55
S74	17	(compar\$3 with (interface \$1 function\$1)) same (component\$1 module\$1) and (package\$1 bean ejb) and @ad< "20040311" and "717"/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 19:55
S75	33	(compar\$3 with size) same (binary with (class component\$1)) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/15 21:24
S76	1141	(binary with compar\$3) same (class component\$1) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/15 21:27
S77	542	(binary with compar\$3) with (class component\$1) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/15 21:27
S78	10	(binary with compar\$3) same (size with class) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/15 21:27
S79	98	(deploy\$3 distribut\$3 updat \$3) with (component\$1 module\$1) same (compar \$3 with (interface\$1 function\$1))and (package \$1 bean enterprise ejb) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/15 21:28
S80	0	(deploy\$3 with (software with component\$1)) same (interface\$1 with compar \$3) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 09:49

S81	1	(deploy\$3 with (software with component\$1)) and (interface\$1 with compar \$3) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 09:49
S83	96	(deploy\$3 with (component \$1)) and (interface\$1 with compar\$3) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 09:49
S84	9	(deploy\$3 with (component \$1)) and (interface\$1 with compar\$3) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 09:50
S87	10	("5204960" "5319784" "5615362" "5727203" "5826253" "5857197" "5911071" "6009440" "6321326" "6324685").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/16 09:54
S90	3	("6061714" "6115793" "6557100").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/16 10:05
S91	10	(deploy\$3 with (component \$1 bean\$1 ejb\$1)) and (interface\$1 with compar \$3) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 10:07
S92	98	(deploy\$3 with (component \$1 bean\$1 ejb\$1)) and (interface\$1 with compar \$3) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 10:13
S93	780	(deploy\$3 with (component \$1 bean\$1 ejb\$1)) and (interface\$1 with (compar \$3 validat\$3 mapp\$3 check \$3)) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 10:33
S94	124	(deploy\$3 with (component \$1 bean\$1 ejb\$1)) and (interface\$1 with (compar \$3 validat\$3 mapp\$3 check \$3)) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 10:33
S95	31	(deploy\$3 with (component \$1 bean\$1 ejb\$1)) and (interface\$1 with (compar \$3 validat\$3 mapp\$3 check \$3)) and @ad< "20040311" and "717"/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 10:33

S96	31	((component\$1 bean\$1 ejb \$1)) with (interface\$1 with (compar\$3 validat\$3 mapp \$3 check\$3)) and @ad< "20040311" and "717"/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 10:39
S97	0	(compar\$3 with size) with (binary with (class component\$1)) and @ad< "20040311" and 717/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 11:37
S98	1	(compar\$3 with size) with (binary with (class component\$1)) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/16 11:37
S99	775	(module\$1 with interface \$1) with (compar\$3) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 12:58
S100	9	(module\$1 with interface \$1) with (compar\$3) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 12:58
S101	0	(compar\$3)with (binary with size with class\$2) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:15
S102	0	(compar\$3) same size with (binary with class\$2) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:16
S103	9	(compar\$3) same size with (binary with class\$2) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:16
S104	64	(compar\$3) with (binary with class\$2) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:17
S105	7	(compar\$3) with (binary with class\$2) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:17

S106	0	(compar\$3) with (binary with class\$2) same size and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:25
S107	9	(compar\$3) with (binary with class\$2) same size and @ad<"20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:25
S108	8	(compar\$3) with (binary with size) same class\$2 and @ad<"20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:28
S109	49	(compar\$3) with (binary with size) and class\$2 and @ad<"20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:29
S110	2	(compar\$3) with (binary with size) and class\$2 and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:29
S111	2	(compar\$3) with ((binary bite) with (size length)) and (class\$2)and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:32
S112	5	(compar\$3) with ((binary bite) with (size length)) and (class\$2 component \$1)and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:32
S113	0	(compar\$3) with ((binary bite) with (size length)) and (class\$2 with module \$1)and @ad<"20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:35
S114	6	(compar\$3) with ((binary bite) with (size length)) and (class\$2 with module \$1)and @ad<"20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:35
S115	21	(compar\$3) with ((binary bite) with (size length)) and ((class\$2 object) with module\$1)and @ad<"20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:36

S116	3	((compar\$3) with ((binary bite) with (size length)) and ((class\$2 object) with module\$1)and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:36
S117	0	((compar\$3) with ((binary bite) with (size length)) and (class\$2 object) and (deploy\$3 with module\$1) and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:39
S118	6	((compar\$3) with ((binary bite) with (size length)) and (class\$2 object) and (deploy\$3 with module\$1) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:39
S119	0	introspect\$3 with (binay with class with file) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:46
S120	649	introspect\$3 and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:46
S121	0	introspect\$3 with (binary) with file and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:46
S122	4	introspect\$3 with (binary) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:46
S123	0	introspect\$3 with (binary) and (class with file) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:47
S124	3	introspect\$3 with (binary) and (file) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:48
S125	123	introspect\$3 and @ad< "20040311" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:49

S126	9	introspect\$3 and @ad< "20040311" and "717"/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:49
S127	0	(compar\$3) with (signagure tyepe) and interface and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:53
S128	24553	(compar\$3) with (signagure type) and interface and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:54
S129	1511	(compar\$3) with (signagure type) same interface and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:54
S130	1800	(compar\$3) with (signature type) same interface and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:54
S131	665	(compar\$3) with (signature type) with interface and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:55
S132	3	(compar\$3) with (signature type) with interface and (binary with class)and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:55
S133	8	(compar\$3) with (signature type) with interface and (binary with file)and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 13:57
S134	1	generat\$3 with (script) and (deployer with utilit \$3) and @ad< "20040311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 14:05

12/17/2008 7:29:59 PM

C:\Documents and Settings\mlee6\My Documents\EAST\Workspaces\10798936\update1.wsp